



IFW

Docket No.: K0600.0214/P214  
(PATENT)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of:  
Kenzo Hiraoka

Application No.: 10/567,382

Confirmation No.: 9645

Filed: February 7, 2006

Art Unit: 2858

For: METHOD AND APPARATUS FOR  
IONIZATION BY CLUSTER-ION IMPACT

Examiner: Not Yet Assigned

**REQUEST FOR CORRECTED FILING RECEIPT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:


Applicant hereby requests that a Corrected Filing Receipt be issued in the above-identified patent application. The Filing Receipt received by Applicant, a copy of which is attached hereto, has an error in the title of invention. The title should read:

**METHOD AND APPARATUS FOR IONIZATION BY CLUSTER-ION  
IMPACT**

Applicant additionally requests that all pertinent U.S. Patent and Trademark Office records relating to the subject application be changed to reflect this correction.

Dated: October 10 2006

Respectfully submitted,

By   
Thomas J. D'Amico  
Registration No.: 28,371  
DICKSTEIN SHAPIRO LLP  
1825 Eye Street NW  
Washington, DC 20006-5403  
(202) 420-2200  
Attorney for Applicant




UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/567,382	02/07/2006	2858	450	K00000214P214	1	2	2

24998

DICKSTEIN SHAPIRO MORIN & OSHINSKY LLP  
2101 L Street, NW  
Washington, DC 20037



CONFIRMATION NO. 9645

FILING RECEIPT



\*OC00000019284225\*

Date Mailed: 06/20/2006

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please mail to the Commissioner for Patents P.O. Box 1450 Alexandria Va 22313-1450. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

**Applicant(s)**

Kenzo Hiraoka, Yamanashi, JAPAN;

JUN 28 4:10:36

**Power of Attorney:** The patent practitioners associated with Customer Number 24998.**Domestic Priority data as claimed by applicant**

This application is a 371 of PCT/JP04/02344 02/27/2004

**Foreign Applications****If Required, Foreign Filing License Granted:** 06/14/2006

The country code and number of your priority application, to be used for filing abroad under the Paris Convention, is **US10/567,382**

**Projected Publication Date:** 09/21/2006**Non-Publication Request:** No**Early Publication Request:** No**\*\* SMALL ENTITY \*\*****Title**

and apparatus for ionization by cluster-ion impact.  
~~Method of ionization by cluster ion bombardment and apparatus therefor~~